



SW5500 Fusion

from Groundhog

The latest concept in 12 Volt technology delivers cost effective and environmentally friendly, robust & easy to use **Static Welfare Units** from Groundhog

Accommodating Sustainable Innovations

SW5500 Fusion Range

The Groundhog **SW5500** Fusion Range of Static Welfare Units is incredibly efficient and incorporates all the latest environmental and safety technologies.

The SW5500 accommodates 8 people, which provides a pleasant, restful environment, ideal for construction, rail and highways contractors.

Once lifted into position, it provides a vandal resistant facility and offers cost savings as the warm water and heating is supplied by an on board system which does not require the generator to run. The generator will only be required for microwave and kettle.

The SW5500 comes with a standard recirculating toilet, with the option of a full flush toilet with ceramic basin.

- > Warm water supplied by an on-board heater system
- > Spacious, well equipped Canteen / Seating Area
- > Comfortably sits up to 8 people
- > High security doors and windows
- > Meets HSE requirements



Value Proposition

Potential yearly savings for the SW5500


(based on units running 12 hour day and 5 day week)

- ✓ Weighs **3,200kg** reducing haulage costs
- ✓ Minimum fuel savings of up to **£2,000**
- ✓ CO₂ emissions saving of over **10,000kg**
- ✓ Generator service cost saving of **£1,750**
- ✓ Potential breakdown costs saving of **£1,200**
- ✓ Low noise pollution



Specifications

- >Dimensions: **5500mm (L) x 2755mm (W)***
- >Net Weight: **3,200kg***



1. Welfare Area

- Pleasant and light rest area
- Table and bench seating for up to 8 persons
- 12 Volt L.E.D. light c/w P.I.R. sensor
- Air blown heating system
- Microwave and kettle
- Warm water supplied by on-board heater system
- Large stainless steel sink
- 2 hot plates (optional)
- Cooler box (optional)



2. Drying Area

- 12 Volt L.E.D. lighting
- Air blown heating system
- Coat hooks



3. Toilet Area

- Standard recirculating toilet c/w ventilation pipe
- Recirculating forearm wash basin with cold water foot pump
- Warm water supplied by on-board heater system
- Paper towel & soap dispenser
- Toilet roll holder



4. Generator Area

- 10kVA super silent diesel generator with exhaust outlet and ventilation
- 200 Litre diesel tank with filler neck and level gauge with Fuel Active system
- 12 Volt L.E.D. lighting
- 12 Volt battery
- High capacity battery
- 12 Volt 30amp battery charger
- Power take off 240V / 110V



Many vandal resistant, safety features



High security window shutters



High secure double lock door with integral window and vent



General features

Canteen

- Pleasant and light rest area
- Table and bench seating for up to 8 persons
- Air blown heating system
- Warm water
- Microwave and kettle
- Fresh drinking water container (20 Ltr)
- Fresh & waste water containers (20 Ltr cap each)
- Warm water supplied by on-board heater system
- Large stainless steel sink
- Battery guard

Generator Room

- 10kVA super silent diesel generator with exhaust outlet and ventilation
- 12 Volt battery
- 200 Litre diesel tank with filler neck and level gauge with Fuel Active system
- 12 Volt L.E.D. lighting
- High capacity battery
- 12 Volt 30amp battery charger
- Power take off 240V / 110V
- Battery guard with fuse panel

Drying Room

- 12 Volt L.E.D. lighting
- Air blown heating system - timer control
- Coat hooks

Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Recirculating forearm wash basin with cold water foot pump
- Warm water supplied by on-board heater system
- Toilet roll holder
- 12 Volt L.E.D. light
- Ventilation panel
- Paper towel & soap dispenser

External

- Steel container with side walls formed in flat panels
- Low level lifting system
- Twist lock base plates set in four corners
- Window frames with steel insulated shutters
- Steel personnel doors with built in locking mechanism

Optional Extras

- Starter/Safety Kit
- Painted in clients corporate colour scheme
- 12V LED external floodlight
- Rain harvesting system (flush toilet models)
- Fuel Active - fuel delivery system
- Hoglift HLV3 system
- PV Solar panel

* Weights and sizes shown may vary slightly.
Groundhog reserve the right to change specification without prior notice.

To find out more about the SW5500 Fusion contact us on...

Tel 01639 823 484

Email sales@genquip.co.uk

Genquip Ltd, Aberafan Road, Baglan Industrial Park, Port Talbot SA12 7DJ

www.genquip-groundhog.co.uk